

Control Console C1



We designed the Control Console C1 to give our customers the maximum freedom of design and configuration options. The design has paid attention to a compact format, which can be extended with additional modules. The modular design allows individual assembly with joysticks, displays and command devices. The Control Console C1 is thus able to adapt perfectly to your product and your branding.



reddot winner 2020
industrial design



Standard colour:
Housing upper part: light grey RAL 7035 and anthracite RAL 7016
Housing bottom part: anthracite RAL 7016
Insert plate: anthracite RAL 7016

Technical data:

Operation temperature -40°C to +85°C
Horizontal adjustment +/- 30 mm

	C1	-1	-1	-1	-0	USB	-L1	/	V27	/	KLS	/	X
Basic unit													
C1	Control Console 160 x 520 mm												
Insert plate													
1	Insert plate (flat) variant 1												
2	Insert plate (with recess) variant 2												
Colour housing upper part													
1	Light grey RAL 7035												
2	Anthracite RAL 7016												
X	Desired colour (on request!)												
Colour decor stripes													
1	Red RAL 3020												
2	Green RAL 6024												
3	Blue RAL 5017												
4	Yellow RAL 1004												
X	Desired colour (on request!)												
Illumination decor stripes													
0	No illumination												
1	RGB-illumination left												
2	RGB-illumination right												
3	RGB-illumination left + right												
Attachments													
USB	USB-plugin socket 2-fold, 2 x 2,5 A												
L1	Logo left												
L2	Logo right												
L3	Logo left incl. lighting												
L4	Logo right incl. lighting												
E1	Extension housing right												
D1	Display holder (Display on page 214)												

Technical details may vary based on configuration or application! Technical data subject to change without notice!

Mounting for equipment boxes

V Multi-Axis Controller (see page 1)

N Control-Switch (see page 118)

More Control Elements (see page 142 and 265)


Wiring

KLS On connector or joystick per core

KLK One side on cable per core

Special model

X Special / customer specified



Technical details may vary based on configuration or application! Technical data subject to change without notice!